Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2016 - June 30, 2017

Filing Deadline: July 17, 2017

Filing Date: 07/14/2017 10:07 PM

Filing Confirmation Number: 0007855502

FRN: 0018939488

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name:	LG Electronics MobileComm USA, Inc.
Brand Names:	LG
PO Box:	
Street Address:	1000 Sylvan Avenue
City:	Englewood Cliffs
State:	NJ
Zip Code:	07632

Contact Name:	Kyung-Su Han
Contact Phone:	(201) 266-2215
Contact Fax:	(201) 816-2003
Contact Email:	kyungsu.han@lge.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?
Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?
N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?
Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: http://www.lg.com/us/accessibility/mobile/accessibility-hacphones

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Since the last annual HAC report, LG has participated in the following in the United States for consumer outreach efforts.
1. We had Annual Accessibility Advisory Board meeting in Washington DC with representatives with disabilities from several accessibility organizations representing blind, hard of hearing and deaf users were invited to observe and evaluate LG product development efforts.
2. We attended CSUN Assistive Technology Conference and interacted with individuals with disabilities, receiving feedback about consumer needs and LG products.
3. We attended MEnabling Summit and consulted with technology providers for the specific purpose of enhancing accessibility of LG products.
4. We attended HLAA convention and sponsored a data collection effort on the issues facing hearing-impaired customers and the severity of those issues when they use cell phones.
5. We attended TCBC workshop two times to track HAC test procedure and policy changes or updates.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 29

Report Remarks

29 models based on FCC ID have been tested and certified during the reporing period.

You have reported the following handset model summary information.
Total number of handsets offered: 82

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	61	98%			1	2%	62
CDMA	42	98%	1	2%			43
WCDMA	60	98%			1	2%	61
LTE	67	100%					67
Wi-Fi	70	97%	1	1%	1	1%	72
Bluetooth	78	98%	1	1%	1	1%	80

Handset 1: LG LG-AS110

Handset Maker

  LG

Handset Model Name   **FCC ID**

  LG-AS110   ZNFAS110

Air Interfaces/Frequency Bands

  700 MHz LTE
  850 MHz GSM
  850 MHz WCDMA
  850 MHz LTE
  1700 MHz WCDMA
  1700 MHz LTE
  1900 MHz GSM
  1900 MHz WCDMA
  1900 MHz LTE
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth

Dates

  This handset model was offered from: 04/17 to 06/17

Ratings

  M-Rating: M3

  M-Rating Certification Date: 02/23/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/23/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- K3 2018

Handset 2: LG LG-AS993, LG-LS993

Handset Maker

LG

Handset Model Name   FCC ID

LG-AS993, LG-LS993   ZNFLS993

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G6

Handset 3: LG LG-B450

Handset Maker

LG

Handset Model Name	FCC ID
LG-B450	ZNFB450
LG-MS450	ZNFB450

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 06/26/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/26/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-B450: LG F4NR
- LG-MS450: LG Stylo 3 PLUS

Handset 4: LG LG-B460

Handset Maker

LG

Handset Model Name	FCC ID
LG-B460	ZNFB460
LG-B470	ZNFB460
LG-B471	ZNFB460
LG441G	ZNFB460
LG442BG	ZNFB460

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 06/20/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-B460: LG True
- LG-B470: LG-B470
- LG-B471: LG-B471
- LG441G: LG441G
- LG442BG: LG442BG

Handset 5: LG LG-C410

Handset Maker

LG

Handset Model Name	FCC ID
LG-C410	ZNFC410

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 12/16

Ratings

M-Rating: M3

M-Rating Certification Date: 10/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/18/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Xpression 2

Handset 6: LG LG-H343

Handset Maker

LG

Handset Model Name	FCC ID
LG-H343	ZNFL33L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 11/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-H343: LG Risio

Handset 7: LG LG-H700

Handset Maker

LG

Handset Model Name   FCC ID

LG-H700   ZNFH700

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 05/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/29/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/29/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- X Venture

Handset 8: LG LG-H740

Handset Maker

LG

Handset Model Name   FCC ID

LG-H740   ZNFH740

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/16 to 05/17

Ratings

M-Rating: M3

M-Rating Certification Date: 08/31/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/31/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G Vista2

Handset 9: LG LG-H790

Handset Maker

LG

Handset Model Name	FCC ID
LG-H790	ZNFH790

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 09/16

Ratings

M-Rating: M3

M-Rating Certification Date: 10/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Nexus 5X

Handset 10: LG LG-H810

Handset Maker

LG

Handset Model Name   FCC ID

LG-H810   ZNFH810

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 07/16

Ratings

M-Rating: M3

M-Rating Certification Date: 04/30/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/30/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G4

Handset 11: LG LG-H820

Handset Maker

LG

Handset Model Name   FCC ID

LG-H820   ZNFH820

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2300 MHz LTE
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 04/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G5

Handset 12: LG LG-H830

Handset Maker

LG

Handset Model Name   FCC ID

LG-H830   ZNFH830

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 04/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G5

Handset 13: LG LG-H871, LG-H872

Handset Maker

LG

Handset Model Name   FCC ID

LG-H871, LG-H872   ZNFH871

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G6

Handset 14: LG LG-H900

Handset Maker

LG

Handset Model Name   FCC ID

LG-H900   ZNFH900

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 07/16 to 12/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/09/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/09/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG V10

Handset 15: LG LG-H901

Handset Maker

LG

Handset Model Name	FCC ID
LG-H901	ZNFH901

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 11/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/09/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/09/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG V10

Handset 16: LG LG-H910

Handset Maker

LG

Handset Model Name   FCC ID

LG-H910   ZNFH910

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG V20

Handset 17: LG LG-H918

Handset Maker

LG

Handset Model Name   FCC ID

LG-H918   ZNFH918

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG V20

Handset 18: LG LG-K212, LG-US610

Handset Maker

LG

Handset Model Name   FCC ID

LG-K212, LG-US610   ZNFUS610

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 06/21/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/21/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- X Power

Handset 19: LG LG-AS330

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS330	ZNFK330
LG-K330	ZNFK330
LG-MS330	ZNFK330
LGL51AL	ZNFK330

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 12/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for

emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-AS330: K7
- LG-K330/LG-MS330: LG K7
- LGL51AL: LG Treasure

Handset 20: LG LG-K371

Handset Maker

LG

Handset Model Name   FCC ID

LG-K371   ZNFK371

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 02/27/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/27/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Phoenix 2

Handset 21: LG LG-K373

Handset Maker

LG

Handset Model Name   FCC ID

LG-K373   ZNFK373

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 03/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/29/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/29/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Escape 3

Handset 22: LG LG-K425

Handset Maker

LG

Handset Model Name   FCC ID

LG-K425   ZNFK425

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/02/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/02/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG K10

Handset 23: LG LG-K428

Handset Maker

LG

Handset Model Name	FCC ID
LG-K428	ZNFK428
LG-MS428	ZNFK428

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 03/17

Ratings

M-Rating: M3

M-Rating Certification Date: 04/18/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/18/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG K10

Handset 24: LG LG-K450

Handset Maker

LG

Handset Model Name	FCC ID
LG-K450	ZNFK210

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/23/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/23/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG X Power

Handset 25: LG LG-LS777

Handset Maker

LG

Handset Model Name	FCC ID
LG-LS777	ZNFLS777

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 02/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/19/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/19/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Stylo 3

Handset 26: LG LG-LS997

Handset Maker

LG

Handset Model Name   FCC ID

LG-LS997   ZNFLS997

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG V20

Handset 27: LG LG-M150, LG-M153

Handset Maker

LG

Handset Model Name	FCC ID
LG-M150, LG-M153	ZNFM150

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 02/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 12/13/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/13/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-M150: LG Pheonix3
- LG-M153/LG-M154: LG Fortune

Handset 28: LG LG-M210

Handset Maker

LG

Handset Model Name   FCC ID

LG-M210   ZNFM210

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 01/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 11/18/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/18/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Aristo

Handset 29: LG LG-M322

Handset Maker

LG

Handset Model Name   FCC ID

LG-M322   ZNFM322

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/12/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/12/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- X Change

Handset 30: LG LG-MP260, LG-TP260

Handset Maker

LG

Handset Model Name	FCC ID
LG-MP260, LG-TP260	ZNFTP260

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 12/23/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/23/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG K20 PLUS

Handset 31: LG LG-K550

Handset Maker

LG

Handset Model Name	FCC ID
LG-K550	ZNFK550BN
LG-MS550	ZNFK550BN

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 05/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/31/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/31/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Stylo 2

Handset 32: LG LG-TP450

Handset Maker

LG

Handset Model Name   FCC ID

LG-TP450   ZNFTP450

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 05/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 04/03/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/03/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Stylo 3 PLUS

Handset 33: LG LG-US110

Handset Maker

LG

Handset Model Name	FCC ID
LG-US110	ZNFUS110

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/01/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/01/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- K3 2018

Handset 34: LG LG-US215

Handset Maker

LG

Handset Model Name	FCC ID
LG-US215	ZNFUS215

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 01/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 12/21/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/21/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- K8 2018

Handset 35: LG LG-AS375

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS375	ZNFUS375
LG-US375	ZNFUS375

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- K8

Handset 36: LG LG-US991

Handset Maker

LG

Handset Model Name

Handset Model Name	FCC ID
LG-US991	ZNFUS991

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 01/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/06/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/06/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G4

Handset 37: LG LG-AN170

Handset Maker

LG

Handset Model Name	FCC ID
LG-AN170	ZNFVN170
LG-UN170	ZNFVN170
LG-UN170PP	ZNFVN170
LG-UN171	ZNFVN170
LG-VN170	ZNFVN170
LG237C	ZNFVN170
LG238C	ZNFVN170

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG237C: LG237C
- LG238C: LG238C
- LG-AN170: Fluid II
- LG-UN170/LG-UN170PP/LG-UN171: Envoy 3
- LG-VN170: LG Revere 3

Handset 38: LG LG-VN210

Handset Maker

LG

Handset Model Name	FCC ID
LG-VN210	ZNFVN210

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 05/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Terra

Handset 39: LG LG-VN220

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-VN220	ZNFVN220

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 05/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/17/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/17/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Exalt LTE

Handset 40: LG LG-VN251S

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-VN251S	BEJVN251

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 02/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name
- LG Cosmos 3

Handset 41: LG LG-VN280

Handset Maker

LG

Handset Model Name   FCC ID

LG-VN280   ZNFVN280

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 08/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VN280: LG Extravert 2

Handset 42: LG LG-UN540

Handset Maker

LG

Handset Model Name	FCC ID
LG-UN540	ZNFVN370
LG-VN370	ZNFVN370

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 05/28/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/28/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VN370: LG Exalt 2
- LG-UN540: WINE 4

Handset 43: LG LG-VS425

Handset Maker

LG

Handset Model Name   **FCC ID**

LG-VS425   ZNFVS425

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 03/17

Ratings

M-Rating: M3

M-Rating Certification Date: 02/23/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/23/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG K4 LTE

Handset 44: LG LG-VS425PP

Handset Maker

LG

Handset Model Name   **FCC ID**

LG-VS425PP   ZNFVS425PP
LGL44VL   ZNFVS425PP

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 12/10/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/10/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VS425PP: LG Zone 3
- LGL44VL: LG Rebel

Handset 45: LG LG-RS500

Handset Maker

LG

Handset Model Name	FCC ID
LG-RS500	ZNFVS500
LG-VS500	ZNFVS500
LG-VS500PP	ZNFVS500

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 04/12/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/12/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-RS500: K8
- LG-VS500: LG K8 V
- LG-VS500PP: LG K8 V PP

Handset 46: LG LG-VS501

Handset Maker
LG

Handset Model Name   FCC ID

LG-VS501   ZNFVS501

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/20/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/20/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG K20 V

Handset 47: LG LG-VS810KPP

Handset Maker

LG

Handset Model Name	FCC ID
LG-VS810KPP	ZNFVS810PP

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 08/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/22/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/22/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Transpyre

Handset 48: LG LG-VS835

Handset Maker

  LG

Handset Model Name	FCC ID
LG-VS835	ZNFVS835

Air Interfaces/Frequency Bands

  700 MHz LTE
  800 MHz CDMA
  850 MHz GSM
  850 MHz WCDMA
  850 MHz LTE
  1700 MHz LTE
  1900 MHz GSM
  1900 MHz CDMA
  1900 MHz WCDMA
  1900 MHz LTE
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth
  5.0 GHz Wi-Fi

Dates

  This handset model was offered from: 10/16 to 06/17

Ratings

  M-Rating: M3

  M-Rating Certification Date: 07/21/16

  Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

  Version of the ANSI C63.19 standard used during the certification process: 2011

  T-Rating: T4

  T-Rating Certification Date: 07/21/16

  Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

  Marketing name
  - LG Stylo2 V

Handset 49: LG LG-VS880PP

Handset Maker

  LG

Handset Model Name	FCC ID
LG-VS880PP	ZNFVS880

Air Interfaces/Frequency Bands

  700 MHz LTE

800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 02/17

Ratings

M-Rating: M4

M-Rating Certification Date: 05/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G Vista PP

Handset 50: LG LG-VS985K

Handset Maker

LG

Handset Model Name	FCC ID
LG-VS985K	ZNFVS985
LG-VS985WK	ZNFVS985

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 07/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G3

Handset 51: LG LG-RS988

Handset Maker

LG

Handset Model Name	FCC ID
LG-RS988	ZNFVS987
LG-US992	ZNFVS987
LG-VS987	ZNFVS987
LG-VS987T	ZNFVS987

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VS987/LG-VS987T: LG G5
- LG-US992: G5
- LG-RS988: Alice

Handset 52: LG LG-US997

Handset Maker

LG

Handset Model Name	FCC ID
LG-US997	ZNFVS988
LG-VS988, LG-VS988T	ZNFVS988

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VS988/LG-VS988T: LG G6
- LG-US997: G6

Handset 53: LG LG-RS987

Handset Maker

LG

Handset Model Name	FCC ID
LG-RS987	ZNFVS990
LG-VS990	ZNFVS990
LG-VS990W	ZNFVS990

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/16 to 11/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-RS987: V10
- LG-VS990/LG-VS990W: LG V10

Handset 54: LG LG-US996

Handset Maker

LG

Handset Model Name	FCC ID
LG-US996	ZNFVS995
LG-VS995, LG-VS995S	ZNFVS995

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VS995/LG-VS995S: LG V20
- LG-US996: V20

Handset 55: LG LG108C

Handset Maker

LG

Handset Model Name	FCC ID
LG108C	ZNF109C
LG109C	ZNF109C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/16 to 04/17

Ratings

M-Rating: M4

M-Rating Certification Date: 05/29/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/29/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG108C
- LG109C

Handset 56: LG LG305C

Handset Maker

LG

Handset Model Name	**FCC ID**
LG305C	ZNFLG305C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 12/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name
- LG305C

Handset 57: LG LG306G

Handset Maker

LG

Handset Model Name	**FCC ID**
LG306G	ZNF306G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 08/16

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name
- LG306G

Handset 58: LG LG328BG

Handset Maker

LG

Handset Model Name	FCC ID
LG328BG	ZNF329G
LG329G	ZNF329G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/16 to 11/16

Ratings

M-Rating: M3

M-Rating Certification Date: 06/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG328BG
- LG329G

Handset 59: LG LGL15G

Handset Maker

LG

Handset Model Name	FCC ID
LGL15G	ZNFL15G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 07/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Sunrise

Handset 60: LG LGL18VC

Handset Maker

LG

Handset Model Name	**FCC ID**
LGL18VC	ZNFL18VC

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 08/16 to 11/16

Ratings

M-Rating: M4

M-Rating Certification Date: 12/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Classic

Handset 61: LG LGL21G

Handset Maker

LG

Handset Model Name	**FCC ID**
LGL21G	ZNFL21G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 12/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/30/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/30/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Destiny

Handset 62: LG LG-K120

Handset Maker

LG

Handset Model Name	FCC ID
LG-K120	ZNFL43AL
LGL43AL	ZNFL43AL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 01/17

Ratings

M-Rating: M3

M-Rating Certification Date: 12/28/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/28/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGL43AL: LG Rebel
- LG-K120: LG Spree

Handset 63: LG LGL52VL

Handset Maker

LG

Handset Model Name   FCC ID

LGL52VL   ZNFL52VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 02/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/05/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/05/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Treasure

Handset 64: LG LGL53BL

Handset Maker

LG

Handset Model Name   FCC ID

LGL53BL   ZNFL53AL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 09/16 to 02/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/31/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/31/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Xstyle

Handset 65: LG LGL56VL

Handset Maker

LG

Handset Model Name	FCC ID
LGL56VL	ZNFL56VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 10/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 05/31/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/31/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Xstyle

Handset 66: LG LGL57BL

Handset Maker

LG

Handset Model Name   FCC ID

LGL57BL   ZNFL57BL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 12/14/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/14/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Rebel 2

Handset 67: LG LGL58VL

Handset Maker

LG

Handset Model Name   FCC ID

LGL58VL   ZNFL58VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 12/30/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/30/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Rebel 2

Handset 68: LG LGL59BL, LG-M257

Handset Maker

LG

Handset Model Name

Handset Model Name	FCC ID
LGL59BL, LG-M257	ZNFL59BL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 12/19/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/19/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGL59BL: LG Grace
- LG-M257: LG Harmony

Handset 69: LG LGL61AL

Handset Maker

LG

Handset Model Name   FCC ID

LGL61AL   ZNFL61AL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 02/17

Ratings

M-Rating: M3

M-Rating Certification Date: 02/16/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/16/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Premier

Handset 70: LG LGL62VL

Handset Maker

LG

Handset Model Name	FCC ID
LGL62VL	ZNFL62VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 03/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Premier

Handset 71: LG LGL63BL

Handset Maker

LG

Handset Model Name   FCC ID

LGL63BL   ZNFL63BL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/11/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/11/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Fiesta

Handset 72: LG LGL64VL

Handset Maker

LG

Handset Model Name	FCC ID
LGL64VL	ZNFL64VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/06/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/06/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Fiesta

Handset 73: LG LG-K540

Handset Maker

LG

Handset Model Name   FCC ID

Handset Model Name	FCC ID
LG-K540	ZNFL81AL
LGL81AL	ZNFL81AL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 05/17

Ratings

M-Rating: M3

M-Rating Certification Date: 01/21/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/21/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Stylo 2

Handset 74: LG LGL82VL

Handset Maker

LG

Handset Model Name	FCC ID
LGL82VL	ZNFL82VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/16 to 02/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/27/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/27/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Stylo 2

Handset 75: LG LGL83BL, LG-M430

Handset Maker

LG

Handset Model Name   FCC ID

LGL83BL, LG-M430   ZNFL83BL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 12/21/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/21/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Stylo3

Handset 76: LG LGL84VL

Handset Maker

LG

Handset Model Name   FCC ID

LGL84VL   ZNFL84VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/17 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/09/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/09/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Stylo 3

Handset 77: LG LGLS450

Handset Maker

LG

Handset Model Name   FCC ID

LGLS450   ZNFLS450

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 05/09/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/09/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG K3

Handset 78: LG LGLS675

Handset Maker

LG

Handset Model Name   FCC ID

LGLS675   ZNFLS675

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/16 to 09/16

Ratings

M-Rating: M3

M-Rating Certification Date: 12/08/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/08/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Tribute5

Handset 79: LG LGLS676

Handset Maker

LG

Handset Model Name   FCC ID

LGLS676   ZNFLS676

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 07/29/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/29/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Tribute HD

Handset 80: LG LGLS755

Handset Maker

LG

Handset Model Name	FCC ID
LGLS755	ZNFLS755

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 09/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 07/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG X Power

Handset 81: LG LGLS775

Handset Maker

LG

Handset Model Name	FCC ID
LGLS775	ZNFLS775

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/16 to 03/17

Ratings

M-Rating: M3

M-Rating Certification Date: 02/25/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/25/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Stylo 2

Handset 82: LG LG-AS992

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS992	ZNFLS992
LGLS992	ZNFLS992

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGLS992: LG G5
- LG-AS992: Alice

Certification

This Report has been certified by:

Kyung-Su Han Team Leader
07/14/2017 10:07 PM